



TRUCK TIRE DATA AND REFERENCE BOOK



TABLE OF CONTENTS

- 2 **PRODUCT COMPARISON CHART**
- 4 **STEER TIRES**
- 6 **DRIVE TIRES**
- 8 **TRAILER TIRES**
- 9 **MIXED SERVICE TIRES**
- 13 **WARRANTY INFORMATION**





PRODUCT COMPARISON CHART



STEER

PAGE	PRODUCT	IMAGE	FEATURES	COMPETITORS
4	DA20 (Y201)		<p>5-rib tread pattern including wide shoulders promotes durability and even wear in all-positions</p> <p>Enhanced siping and wide grooves allows for premium traction in both wet and dry conditions</p> <p>Full size complement from 19.5" to 24.5" rim diameters</p>	<ul style="list-style-type: none"> • Bridgestone R294, R250F • Goodyear G149 RSA, G159 • Hankook AH08, AH11, AH12 • Continental HSR, HSR-1 • Toyo M143 • Firestone FS507 • Kumho 955 • Michelin XZA1+
5	DS28 (Y208)		<p>5-rib tread design with special tread compounds enhances even wear, traction in long haul steer axle positions</p> <p>Multiple sipes and decoupling grooves enhance tire wear and traction</p> <p>Durable casing design to promote retreading</p>	<ul style="list-style-type: none"> • Bridgestone R287 • Goodyear G395 LHS • Michelin XZA3 • Continental HSL • Toyo M147, M137 • Firestone FS590+ • Kumho KLS01
5	Y207 (Y207)		<p>5-rib tread pattern including wide shoulders promotes durability and even wear in all-positions</p> <p>Enhanced siping and wide grooves allows for premium traction in both wet and dry conditions</p>	<ul style="list-style-type: none"> • Bridgestone R294, R250F • Goodyear G149 RSA, G159 • Hankook AH08, AH11, AH12 • Continental HSR, HSR-1 • Toyo M143 • Firestone FS507 • Kumho 955 • Michelin XZA1+
6	Y606 (Y606)		<p>Strong all-position tread pattern designed for multiple on/off highway uses</p> <p>Heavy-duty casing construction for excellent performance in tough application</p>	<ul style="list-style-type: none"> • Bridgestone R250 • Goodyear G149 • Hankook AH08, AH11 • Continental HSR • Toyo M154, M137 • Firestone T559 • Kumho 983 • Michelin XZY3



DRIVE

PAGE	PRODUCT	IMAGE	FEATURES	COMPETITORS
6	DD10 (Y101)		<p>Innovative open shoulder tread design provides enhanced traction in multiple applications</p> <p>25/32" original tread depth allows for excellent mileage</p> <p>Premium casing promotes stability and retreading</p>	<ul style="list-style-type: none"> • Bridgestone M711, M725 • Goodyear G124, G182 • Hankook Z35A • Continental HDL • Toyo M610ZL • Firestone FD663 • Kumho KR003, 942 • Michelin XM+S4
7	DD13 (Y103)		<p>Closed shoulder design promotes long, even treadwear while maintaining excellent traction</p> <p>Extra deep 30/32" original tread depth suitable for all applications</p> <p>Durable casing allows for multiple retreads</p>	<ul style="list-style-type: none"> • Bridgestone M726 • Goodyear G372 • Hankook DL01 • Continental HDL Eco Plus • Toyo M608Z • Firestone FD690+ • Kumho KLD01 • Michelin XDA3, XDA5
7	DD15 (Y105)		<p>Innovative tread design and compounds promotes excellent traction and resist irregular wear</p> <p>Durable casing construction perfect for tough regional and urban use</p> <p>Deep original tread depth provides maximum tread life</p>	<ul style="list-style-type: none"> • Bridgestone M724F • Goodyear G362 • Hankook Z59 • Continental HDR • Toyo M627 • Firestone FD690+ • Kumho KR002 • Michelin XDA3, XDA5
8	DD51 (Y501)		<p>Innovative tread design and compounds promote excellent traction and resist irregular wear</p> <p>Deep original tread depth provides maximum tread life</p> <p>Durable casing construction perfect for tough regional and urban use</p>	<ul style="list-style-type: none"> • Bridgestone M724F • Goodyear G362 • Hankook Z59 • Continental HDR • Toyo M627 • Firestone FD690+ • Kumho KR002

PRODUCT COMPARISON CHART



TRAILER

PAGE	PRODUCT	IMAGE	FEATURES	COMPETITORS
8	DT22 (Y202)		<p>Optimum tread design promotes even wear in free rolling and trailer axle positions</p> <p>Enhanced siping provides traction and fights irregular wear</p> <p>Durable casing design to promote retreading</p>	<ul style="list-style-type: none"> • Bridgestone R195F • Goodyear G316 • Hankook TL01 • Continental HTL • Toyo M127 • Firestone FT455 • Michelin XT-1
9	DT23 (Y203)		<p>Special tread compounds allow for long life in trailer and all-position applications</p> <p>5-rib design promotes traction and long life</p> <p>Casing design provides durability, toughness and enhances retreadability</p>	<ul style="list-style-type: none"> • Bridgestone R195F • Goodyear G316 • Hankook TL01 • Continental HTL • Toyo M127 • Firestone FT455 • Michelin XT-1



MIXED SERVICE

PAGE	PRODUCT	IMAGE	FEATURES	COMPETITORS
9	DA25 (Y205)		<p>Strong all-position tread pattern designed for multiple on/off highway uses</p> <p>Heavy-duty casing construction for excellent performance in tough application</p>	<ul style="list-style-type: none"> • Bridgestone M860, M850 • Goodyear G288 • Hankook AH10 • Continental MS520 • Toyo M320 • Firestone T819 • Kumho 973 • Michelin XZY3
10	DD11 (Y131)		<p>Extra deep 33/32" tread depth for on/off road applications</p> <p>Chip and cut resistant compounds offer long mileage and wear while reducing effect of cuts, snags and tears</p> <p>Aggressive tread offers excellent traction for severe off-highway use; no on-highway speed restriction</p>	<ul style="list-style-type: none"> • Bridgestone M775 • Goodyear G177 • Hankook DM04 • Continental HDO • Toyo M506Z • Firestone T831 • Kumho 939 • Michelin XZL
10	DM60 (Y601)		<p>Wide all-position tread pattern designed for multiple on/off highway uses</p> <p>Heavy-duty casing construction for excellent performance in tough applications</p> <p>Available in tubeless and tube-type sizes</p>	<ul style="list-style-type: none"> • Bridgestone M860, M850 • Goodyear G288 • Hankook AH10 • Continental MS520 • Toyo M320 • Firestone T819 • Kumho 973 • Michelin XZY3
11	DM63 (Y631)		<p>Aggressive multi-purpose tread design ideal for on/off highway applications</p> <p>Large tread elements offer improved handling and excellent traction</p> <p>Heavy-duty belt package and undertread offer increased durability, uniform wear and stability</p>	<ul style="list-style-type: none"> • Bridgestone M844F • Goodyear G286 • Hankook AM02 • Continental HTC • Toyo M320Z • Firestone T839 • Kumho 943W • Michelin XZY3, XZUS
11	DT63 (Y603)		<p>Tread pattern and heavy ply rating designed for multiple uses</p> <p>Extra wide 5-rib design excellent for free rolling applications</p> <p>Durable casing provides long original tread life and promotes multiple retreads</p>	<ul style="list-style-type: none"> • Bridgestone M844F • Goodyear G286 • Hankook AM02 • Continental HTC • Toyo M320Z • Firestone T839 • Kumho 943W • Michelin XZUS
12	Y866 (Y866)		<p>Chip and cut resistant compounds offer long mileage and wear while reducing effect of cuts, snags and tears</p> <p>Aggressive tread offers excellent traction for severe off-highway use; no on-highway speed restriction</p>	<ul style="list-style-type: none"> • Bridgestone M711, M725 • Goodyear G362, G182 • Hankook Z35A • Continental HDL • Toyo M610ZL • Firestone FD663 • Kumho KR03 • Michelin XD4, XDE M+S



STEER

PREMIUM STEER/ALL-POSITION TIRE

FEATURES & BENEFITS

- ▶ 5-rib tread pattern including wide shoulders promotes durability and even wear in all-positions
- ▶ Enhanced siping and wide grooves allows for premium traction in both wet and dry conditions
- ▶ Full size complement from 19.5" to 24.5" rim diameters



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203281255	11R22.5	14	G	8.25	19	41.4	11.0	6175/5840	105/105	M	144/142	118
1203281256	11R22.5	16	H	8.25	19	41.4	11.0	6610/6005	120/120	M	146/143	118
1203281257	315/80R22.5	18	J	9.00	20	42.5	12.2	8820/7830	120/120	M	156/152	141
1203281455	11R24.5	14	G	8.25	19	43.3	11.0	6610/6005	105/105	L	146/143	128
1203281456	11R24.5	16	H	8.25	19	43.3	11.0	7160/6610	120/120	L	149/146	128
1203282248	12.00R24	20	L	8.50	20	48.0	12.2	9920/9090	130/130	K	160/157	149
1203282258	12R22.5	18	J	9.00	21	42.7	11.8	7830/7160	135/135	L	152/149	134
1203282275	225/70R19.5	12	F	6.75	16	31.9	8.9	3640/3415	95/95	M	125/123	66
1203282276	225/70R19.5	14	G	6.75	16	31.9	8.9	3969/3748	110/110	M	128/126	66
1203283157	315/70R22.5	18	J	9.00	18	40.0	12.3	7610/6940	120/120	M	151/148	137
1203284796	245/70R19.5	16	H	7.50	16	33.0	9.8	4940/4675	120/120	L	136/134	81
1203286796	265/70R19.5	16	H	7.50	16	34.3	10.0	6005/5675	123/123	K	143/141	89
1203288455	285/75R24.5	14	G	8.25	19	41.5	11.1	6175/5675	110/110	M	144/141	120
1203289254	295/60R22.5	18	J	9.00	20	36.5	11.5	7390/6780	130/130	L	150/147	106
1203289255	295/75R22.5	14	G	9.00	19	40.6	11.7	6175/5675	110/110	M	144/141	117
1203289258	295/80R22.5	18	J	9.00	19	41.2	11.7	7830/7160	130/130	M	152/149	122



DS28 (Y208)

STEER

PREMIUM DECOUPLING GROOVE STEER TIRE

FEATURES & BENEFITS

- ▶ 5-rib tread design with special tread compounds enhances even wear, traction in long haul steer axle positions
- ▶ Multiple sipes and decoupling grooves enhance tire wear and traction
- ▶ Durable casing design to promote retreading



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203291255	11R22.5	14	G	8.25	19	41.4	11.0	6175/5840	105/105	M	144/142	118
1203291256	11R22.5	16	H	8.25	19	41.4	11.0	6610/6005	120/120	M	146/143	118
1203291455	11R24.5	14	G	8.25	19	43.3	11.0	6610/6005	105/105	L	146/143	128
1203291456	11R24.5	16	H	8.25	19	43.3	11.0	7160/6610	120/120	L	149/146	128
1203298455	285/75R24.5	14	G	8.25	19	41.5	11.1	6175/5675	110/110	M	144/141	120
1203299255	295/75R22.5	14	G	9.00	19	40.6	11.7	6175/5675	110/110	M	144/141	117



Y207 (Y207)

STEER

PREMIUM STEER/ALL-POSITION TIRE

FEATURES & BENEFITS

- ▶ 5-rib tread pattern including wide shoulders promotes durability and even wear in all-positions
- ▶ Enhanced siping and wide grooves allows for premium traction in both wet and dry conditions



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203372258	12R22.5	18	J	9.00	20	42.7	11.8	7830/7160	135/135	L	152/149	133



Y606 (Y606)

STEER

PREMIUM ON/OFF HIGHWAY MIXED SERVICE ALL-POSITION TIRE

FEATURES & BENEFITS

- ▶ Strong all-position tread pattern designed for multiple on/off highway uses
- ▶ Heavy-duty casing construction for excellent performance in tough application



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203667165	7.00R16LT	14	G	5.50F	17	30.5	7.9	2910/2600	112/112	M	118/114	55



DD10 (Y101)

DRIVE

PREMIUM OPEN SHOULDER DRIVE-POSITION TIRE

FEATURES & BENEFITS

- ▶ Innovative open shoulder tread design provides enhanced traction in multiple applications
- ▶ 25/32" original tread depth allows for excellent mileage
- ▶ Premium casing promotes stability and retreading



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203411255	11R22.5	14	G	8.25	25	41.7	11.0	6175/5840	105/105	M	144/142	123
1203411256	11R22.5	16	H	8.25	25	41.7	11.0	6610/6005	120/120	M	146/143	123
1203411257	315/80R22.5	18	J	9.00	28	43.2	12.5	8820/7830	120/120	L	156/150	161
1203411455	11R24.5	14	G	8.25	25	43.7	11.0	6610/6005	105/105	L	146/143	135
1203411456	11R24.5	16	H	8.25	25	43.7	11.0	7160/6610	120/120	L	149/146	135
1203412258	12R22.5	18	J	9.00	28	43.0	11.9	7830/7160	135/135	L	152/149	156
1203418455	285/75R24.5	14	G	8.25	25	41.9	11.1	6175/5675	110/110	L	144/141	126
1203419255	295/75R22.5	14	G	9.00	25	40.9	11.7	6175/5675	110/110	L	144/141	122
1203419258	295/80R22.5	18	J	9.00	28	41.8	11.7	7830/7160	130/130	M	152/149	130



DD13 (Y103)

DRIVE

ULTRA PREMIUM CLOSED SHOULDER DRIVE-POSITION TIRE

FEATURES & BENEFITS

- ▶ Closed shoulder design promotes long, even treadwear while maintaining excellent traction
- ▶ Extra deep 30/32" original tread depth suitable for all applications
- ▶ Durable casing allows for multiple retreads



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203481255	11R22.5	14	G	8.25	30	41.9	11.0	6175/5840	105/105	L	144/142	129
1203481256	11R22.5	16	H	8.25	30	41.9	11.0	6610/6005	120/120	L	146/143	129
1203481455	11R24.5	14	G	8.25	30	43.9	11.0	6610/6005	105/105	L	146/143	138
1203481456	11R24.5	16	H	8.25	30	43.9	11.0	7160/6610	120/120	L	149/146	138
1203483157	315/70R22.5	18	J	9.00	28	41.0	12.3	7610/6940	120/120	M	151/148	NA
1203488455	285/75R24.5	14	G	8.25	30	41.6	11.1	6175/5675	110/110	L	144/141	127
1203489253	295/60R22.5	18	J	9.00	28	36.5	11.5	7390/6780	130/130	L	150/147	NA
1203489255	295/75R22.5	14	G	9.00	30	40.2	11.7	6175/5675	110/110	L	144/141	121



DD15 (Y105)

DRIVE

PREMIUM LOW PROFILE DRIVE-POSITION MULTI-USE TIRE

FEATURES & BENEFITS

- ▶ Innovative tread design and compounds promotes excellent traction and resist irregular wear
- ▶ Durable casing construction perfect for tough regional and urban use
- ▶ Deep original tread depth provides maximum tread life



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1204901256	11R22.5	16	H	8.25	25	41.9	11.0	6610/6005	120/120	L	146/143	123
1204901257	315/80R22.5	18	J	9.00	25	42.5	12.2	8270/7610	120/120	M	154/151	161
1204902258	12R22.5	18	J	9.00	25	43.2	11.9	7830/7610	135/135	L	152/149	160
1204903157	315/70R22.5	18	J	9.00	24	40.4	12.3	7610/6940	120/120	M	151/148	144
1204903227	13R22.5	18	J	9.75	26	44.7	12.6	8270/7610	120/120	K	154/151	160
1204909254	295/60R22.5	18	J	8.50	20	48.0	12.2	7390/6780	130/130	L	150/147	150



DD51 (Y501)

DRIVE

PREMIUM LOW PROFILE MULTI-USE DRIVE TIRE

FEATURES & BENEFITS

- ▶ Innovative tread design and compounds promote excellent traction and resist irregular wear
- ▶ Deep original tread depth provides maximum tread life
- ▶ Durable casing construction perfect for tough regional and urban use



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203612796	225/70R19.5	14	G	6.75	19	32.6	8.8	3970/3750	110/110	L	128/126	68
1203614795	245/70R19.5	14	G	7.50	19	33.5	9.6	4540/4300	110/110	L	133/131	84
1203616796	265/70R19.5	16	H	7.50	22	34.6	10.0	6005/5675	123/123	L	143/141	86
1203616797	265/70R19.5	18	J	7.50	22	34.6	10.0	6175/5840	125/125	L	144/142	86



DT22 (Y202)

TRAILER

PREMIUM SHALLOW DEPTH TRAILER-POSITION TIRE

FEATURES & BENEFITS


- ▶ Optimum tread design promotes even wear in free rolling and trailer axle positions
- ▶ Enhanced siping provides traction and fights irregular wear
- ▶ Durable casing design to promote retreading



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203381255	11R22.5	14	G	8.25	12	41.0	11.0	6175/5840	105/105	M	144/142	106
1203381455	11R24.5	14	G	8.25	12	42.9	11.0	6610/6005	105/105	L	146/143	114
1203389255	295/75R22.5	14	G	9.00	12	40.2	11.7	6175/5675	110/110	M	144/141	102
1203388455	285/75R24.5	14	G	8.25	12	41.1	11.1	6175/5675	110/110	L	144/141	110



DT23 (Y203)



TRAILER

PREMIUM LOW PROFILE MULTI-USE TRAILER-POSITION TIRE

FEATURES & BENEFITS

- ▶ Special tread compounds allow for long life in trailer and all-position applications
- ▶ 5-rib design promotes traction and long life
- ▶ Casing design provides durability, toughness and enhances retreadability

PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203391776	215/75R17.5	16	H	6.00	16	30.2	8.3	4805/4540	125/125	L	135/133	61
1203392365	235/85R16	14	G	6.50	12	30.7	9.5	3750/3415	112/110	L	126/123	64
1203395726	255/70R22.5	16	H	7.50	13	36.6	10.0	5510/5070	120/120	N	140/137	88
1203396795	235/75R17.5	16	H	6.75	16	31.4	9.2	6010/5680	125/125	L	143/141	70
1203397165	7.00R16LT	14	G	5.50F	15	30.5	7.9	2910/2600	112/112	M	118/114	53
1203397565	7.50R16	14	G	6.00G	16	31.7	8.3	3305/2910	112/112	M	122/118	56
1203397726	275/70R22.5	16	H	8.25	16	37.7	10.9	6940/6395	130/130	M	148/145	108



DA25 (Y205)



MIXED SERVICE

PREMIUM ON/OFF HIGHWAY MIXED SERVICE ALL-POSITION TIRE

FEATURES & BENEFITS

- ▶ Strong all-position tread pattern designed for multiple on/off highway uses
- ▶ Heavy-duty casing construction for excellent performance in tough application

PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203271256	11R22.5	16	H	8.25	22	41.4	11.0	6610/6005	120/120	L	146/143	121
1203271257	315/80R22.5	18	J	9.00	22	42.5	12.2	8820/7830	120/120	M	154/151	141
1203272248	12.00R24	20	L	8.50	20	48.0	12.2	9920/9090	130/130	K	160/157	150
1203272258	12R22.5	18	J	9.00	22	42.7	11.8	7830/7160	135/135	L	152/149	133
1203273227	13R22.5	18	J	9.75	22	42.4	12.6	8270/7610	120/120	K	154/151	155



DD11 (Y131)

MIXED SERVICE

PREMIUM EXTRA DEEP TREAD ON/OFF HIGHWAY SEVERE SERVICE DRIVE-POSITION TIRE

FEATURES & BENEFITS

- ▶ Extra deep 33/32" tread depth for on/off road applications
- ▶ Chip and cut resistant compounds offer long mileage and wear while reducing effect of cuts, snags and tears
- ▶ Aggressive tread offers excellent traction for severe off-highway use; no on-highway speed restriction



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203491256	11R22.5	16	H	8.25	33	43.0	11.1	6610/6005	120/120	G	146/143	129
1203491456	11R24.5	16	H	8.25	33	44.0	11.1	7160/6610	120/120	G	149/146	138



DM60 (Y601)

MIXED SERVICE

PREMIUM ON/OFF HIGHWAY ALL-POSITION TIRE

FEATURES & BENEFITS

- ▶ Wide all-position tread pattern designed for multiple on/off highway uses
- ▶ Heavy-duty casing construction for excellent performance in tough applications
- ▶ Available in tubeless and tube-type sizes



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203991028	10.00R20	16	H	7.50	21	41.5	10.9	6610/6010	120/120	K	146/143	140
1203991208	11.00R20	18	J	8.00	21	42.7	11.5	7830/7160	135/135	K	152/149	155
1203991256	11R22.5	16	H	8.25	19	41.4	11.0	6610/6005	120/120	M	146/143	118
1203991257	315/80R22.5	18	J	9.00	20	42.5	12.2	8820/7830	120/120	M	156/152	141
1203991259	315/80R22.5	22	M	9.00	20	42.5	12.2	10000/9090	130/130	65MPH	160/157	141
1203991408	12.00R20	18	J	8.50	22	44.3	12.4	8270/7610	120/120	K	154/151	164
1203991456	11R24.5	16	H	8.25	19	43.3	11.0	7160/6610	120/120	L	149/146	128
1203992248	12.00R24	20	L	8.50	20	48.0	12.2	9920/9090	130/130	K	160/157	149
1203992258	12R22.5	18	J	9.00	21	42.7	11.8	7830/7160	135/135	L	152/149	134
1203999206	9.00R20	16	H	7.00	19	40.1	10.2	6170/5840	130/130	K	144/142	110




DM63 (Y631)

MIXED SERVICE

ULTRA PREMIUM WIDE BASE MIXED SERVICE ALL-POSITION TIRE

FEATURES & BENEFITS

- ▶ Aggressive multi-purpose tread design ideal for on/off highway applications
- ▶ Large tread elements offer improved handling and excellent traction
- ▶ Heavy-duty belt package and undertread offer increased durability, uniform wear and stability



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1206312258	425/65R22.5	20	L	13.00	22	44.6	16.3	11400/NA	120/NA	K	165/NA	199
1206318258	385/65R22.5	20	L	11.75	22	42.2	14.8	9920/NA	130/NA	K/L	160/158	164



DT63 (Y603)

MIXED SERVICE

PREMIUM WIDE BASE ALL-POSITION TIRE

FEATURES & BENEFITS

- ▶ Tread pattern and heavy ply rating designed for multiple uses
- ▶ Extra wide 5-rib design excellent for free rolling applications
- ▶ Durable casing provides long original tread life and promotes multiple retreads



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203643557	435/50R19.5	18	J	14.00	17.5	36.9	17.2	8820/NA	123/NA	L	156/NA	NA
1203648257	385/55R22.5	18	J	12.25	20	39.2	15.0	9370/NA	123/NA	L	158/NA	161
1203648258	385/65R22.5	20	L	11.75	20	42.0	14.8	9920/NA	130/NA	K/L	160/158	164



Y866 (Y866)

MIXED SERVICE

PREMIUM ON/OFF HIGHWAY SEVERE SERVICE DRIVE-POSITION TIRE

FEATURES & BENEFITS

- ▶ Chip and cut resistant compounds offer long mileage and wear while reducing effect of cuts, snags and tears
- ▶ Aggressive tread offers excellent traction for severe off-highway use; no on-highway speed restriction



PRODUCT CODE	TIRE SIZE	PLY RATING	LOAD RANGE	RIM (INCH)	TREAD DEPTH (32ND/INCH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	MAX LOAD SINGLE/DUAL (LB)	INFLATION PRESSURE (PSI)	SPEED SYMBOL	LOAD INDEX	WEIGHT (LB)
1203731028	10.00R20	18	J	7.50	24	41.5	10.9	7160/6610	135/135	K	149/146	150

LIMITED MANUFACTURER'S WARRANTY

LIMITED WARRANTY

Duratur Commercial Truck Tire Dealer. (Please consult your telephone directory for locations or visit our dealer locator on our website at www.duraturtires.com). Tires replaced on an adjustment basis become the property of Duratur.

TO OBTAIN AN ADJUSTMENT

- You must present the tire to be adjusted to a current Duratur Commercial Truck Tire Dealer. (Please consult your telephone directory for locations or visit our dealer locator on our website at www.duraturtires.com). Tires replaced on an adjustment basis become the property of Duratur.
- You must pay for taxes, fees or any additional services you order at the time of adjustment.
- No claim will be recognized unless submitted on a Duratur claim form (supplied by the Duratur Commercial Truck Tire Dealer), completely filled out and signed by you, the owner of the tire presented for adjustment, or your authorized agent.

FOR SERVICE ASSISTANCE OR INFORMATION

- First contact the nearest Authorized Duratur Commercial Truck Tire Dealer.
- If additional assistance is required:
 - ▶ Visit our website at www.duraturtires.com.
 - ▶ E-mail The Duratur Customer Relations Department at info@duraturtires.com or
 - ▶ Write to
Duratur Customer Assistance
Service Department
406 E. Huntington Drive, Suite 200
Monrovia, CA 91016

WHO IS ELIGIBLE FOR WARRANTY COVERAGE

You are eligible for the benefits of this warranty if you meet all the following criteria:

- ▶ You are the owner or authorized agent of the owner of new Duratur Truck Bus Radial (TBR) tires.
- ▶ Your tires bear Department of Transportation (DOT) prescribed tire identification numbers and are not branded "NA" (Not Adjustable).
- ▶ Your Duratur truck tires have been used only on the vehicle on which they were originally installed according to the vehicle manufacturers or Duratur recommendations.
- ▶ Your tires were purchased on or after January 1, 2014.

WHAT IS COVERED UNDER THIS WARRANTY AND FOR HOW LONG

PRORATED TIRE REPLACEMENT

Duratur truck tires covered by this warranty that become unserviceable due to a defect in workmanship or material during the life of the original usable tread (down to 2/32" remaining usable tread), will be reimbursed to the owner on a prorated basis. You pay only for the mounting, balancing, taxes and fees.

HOW TO CALCULATE THE PRORATED AMOUNT

The replacement price will be calculated by multiplying the current Duratur "predetermined price for adjustment" or current advertised selling price at the adjustment location (whichever is lower) by the percentage of usable original tread that has been worn off at the time of adjustment. You pay for mounting, balancing, and amount equal to the full current Federal Excise Tax and any other applicable taxes and fees for the comparable new Duratur replacement tire.

PRORATED REIMBURSEMENT EXAMPLE

If your disabled tire had an original 16/32" of usable tread depth and is worn to 8/32" of usable tread remaining you have used 50% and therefore must pay 50% of the predetermined price for adjustment or advertised selling price of a comparable tire, plus an amount equal to the full current Federal Excise Tax applicable to the comparable new replacement tire at the time of adjustment. If the price of the comparable tire is \$400.00, the cost to you would be \$200.00 plus

Federal Excise Tax, mounting, balancing and any other applicable taxes.

DEFINITION OF A COMPARABLE TIRE

A "comparable" new Duratur tire may either be the same line of tire or, in the event that the same tire is not available, a tire of the same basic construction and quality with a different sidewall or tread configuration. If a higher priced tire is accepted as replacement, the difference in price will be at an additional charge to you. Any replacement tire provided pursuant to this warranty will be covered by the Duratur warranty in effect at the time of replacement.

WHAT THIS WARRANTY DOES NOT COVER

IRREGULAR WEAR OR TIRE DAMAGE DUE TO:

- ▶ Road hazards (including punctures, cuts, snags, impact breaks, etc.)
- ▶ Wreck, collision, or fire.
- ▶ Improper inflation, overloading, high speed spinup, misapplication, misuse, negligence, racing, chain damage, or improper mounting or demounting.
- ▶ Mechanical condition of the vehicle.
- ▶ Ride disturbance after the first 2/32" treadwear or due to damaged wheels or any vehicle condition.
- ▶ Any tire intentionally altered after leaving a factory producing Duratur tires to change its appearance (example: white inlay on a black tire).
- ▶ Tires with weather cracking which were purchased more than five (5) years prior to presentation for adjustment. If you have no proof of purchase date, tires manufactured five (5) or more years prior to presentation are not covered.
- ▶ This limited warranty is applicable only in the United States, Canada & Mexico, and any tire used or equipped on a vehicle registered or operated outside the U.S., Canada & Mexico are not covered by this warranty.
- ▶ Tire branded or marked "Non-Adjustable" (N/A) or "Blemished" (Blem), or previously adjusted.

FAILURE, DAMAGE, OR IRREGULAR WEAR DUE TO:

- ▶ Accident or vandalism, improper misalignment, wheel imbalance, faulty shocks or brakes;
- ▶ Mechanical condition of vehicle, including misalignment, wheel imbalance, faulty shocks or brakes;
- ▶ Misapplication of tire, use of improper inner tube;
- ▶ Alteration of the tire or addition of alien material or transfer from one vehicle to another; and
- ▶ Radial truck tire failed due to faulty retreading or material.
- ▶ Cost of mounting and balancing service except as noted above.
- ▶ Loss of time or use, inconvenience, or any incidental or consequential damages.
- ▶ Material added to a tire after leaving a factory producing Duratur tires: (example: tire fillers, sealants, or balancing substances). If the added material is the cause of the tire being removed from service, the tire will not be adjusted.
- ▶ Loss of time, inconvenience, loss of use of vehicle, incidental or consequential damage.

YOUR LEGAL RIGHTS

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusions may not apply to you.

No representative or dealer has authority to make any representation, promise, or agreement on behalf of Duratur, except as stated herein.

Any tire, no matter how well constructed, may fail in service or otherwise become unserviceable due to conditions beyond the control of the manufacturer. Under no circumstances is this warranty a representation that a tire failure cannot occur.

This warranty gives you specific legal rights, and you

may also have other rights that vary from state to state. This limited warranty is applicable only in the United States, Canada & Mexico.

END OF WARRANTY

A tire has delivered its full original tread life and the new tire coverage of this warranty ends when the treadwear indicators become visible, or five (5) years from the date of original tire manufacture or new tire purchase date. (Without proof of purchase, date of manufacture will be used to determine age.) Casings may continue to be warranted beyond the new tire coverage. Please refer to the Radial Casing Provision for warranty details on casings.

THE Duratur RADIAL CASING PROVISION

Truck Tire Casings will be warranted against defects in workmanship or material through a period of five (5) years from the date of the casings DOT serial number or proof of purchase, if available, whichever comes first. If a Duratur truck tire dealer examines a casing and finds such a defect, Duratur will reimburse the owner for the casing according to the following schedule:

DURATUR CASING VALUES	CASING VALUES (DURATUR)
TUBELESS	
9, 10, 11R17.5	\$20.00
9, 10R22.5	\$30.00
11R22.5, 24.5	\$55.00, \$60.00
12.00R24	\$50.00
12R22.5, 24.5	\$60.00
TUBELESS LOW PROFILE	
215, 235/75R17.5	\$15.00
225, 245, 265, 285/70R19.5	\$20.00
245, 265/75R22.5	\$15.00
255, 275/70R22.5	\$55.00
295/75R22.5	\$55.00
295/80R22.5	\$55.00
285/75R24.5	\$60.00
315/80R22.5	\$55.00
385, 425, 445/65R22.5	\$65.00
TUBE-TYPE	
9.00R20	\$30.00
10.00R20	\$40.00
11.00R20	\$40.00
12.00R20	\$40.00

SAFETY WARNINGS

Serious injury or property damage may result from:

- ▶ TIRE FAILURE DUE TO UNDERINFLATION/OVERLOADING. Follow the owner's manual or tire placard in vehicle.
- ▶ TIRE FAILURE DUE TO EXCESSIVE HIGH SPEED. Follow the owner's manual or tire placard in vehicle.
- ▶ EXPLOSION OF TIRE/RIM ASSEMBLY DUE TO IMPROPER MOUNTING. Only specially trained persons should mount tires.
- ▶ FAILURE TO MOUNT RADIAL TIRES ON APPROVED RIMS.
- ▶ FAILURE TO DEFLATE SINGLE OR DUAL ASSEMBLIES COMPLETELY BEFORE DISMOUNTING.
- ▶ TIRE SPINNING. On slippery surfaces such as snow, mud, ice, etc., do not spin tires in excess of 35 mph (55 kpm), as indicated on the speedometer. Personal injury and severe damage may result from excessive wheel spinning, including tire disintegration or axle failure.

DURATUR

406 E. Huntington Drive, Suite 200
Monrovia, CA 91016
1-888-226-5250
www.duraturtires.com

406 E. Huntington Drive, Suite 200
Monrovia, CA 91016
1-888-226-5250
www.duraturntires.com

